



COIL SPRING PARTS

21020



FORD 2WD F-SERIES TRUCK COIL SPRING BOLT

When installing coil spring spacers on 2WD Ford trucks, often times the existing bolts are not long enough. This 3/4" replacement bolt is 10" long, longer than the OE bolt. It will provide plenty of bolt length to allow installation of the nut when reassembling the suspension. This kit provides both the bolt and the nut.

Coil Spring Stabilizers

Proper alignment is impossible unless coil springs are operating at originally designed height.

Service Tips - Sometimes the front stabilizer may rub against the spring well housing. If this situation occurs, the stabilizer must be installed from the inside of the coil springs. Two sizes of short-nosed stabilizers are available: **24701** (a "short-nosed" **24700**); **24751** (a "short-nosed" **24750**). Two stabilizers are recommended per coil spring (no more, no less). 4 per pack.

Due to the curvature of some springs, two sizes may be required for the same spring (Example: **24700** on inside of coil. **24750** on outside). When measuring and installing stabilizers, one space should be skipped between coils.

SMALL DIAMETER = .58 INCHES LARGE DIAMETER = .63 INCHES


Stabilizer Heights - Narrow units for small diameter (.58") coil springs.

STBLZR. NO.	HEIGHT ("A")	STBLZR. NO.	HEIGHT ("A")	STBLZR. NO.	HEIGHT ("A")
24640	5/8"	24690	7/8"	24740	1-1/4"
		24790	1-1/2"		

Stabilizer Heights - Regular units for average diameter (.63") coil springs.

STBLZR. NO.	HEIGHT ("A")	STBLZR. NO.	HEIGHT ("A")	STBLZR. NO.	HEIGHT ("A")
24650	5/8"	24751	1-1/4" - Short Nose	24950	2-1/2"
24700	7/8"	24800	1-1/2"	24960	1"
24701	7/8" - Short Nose	24850	1-3/4"	24970	1-1/4"
24750	1-1/4"	24900	2"		


PARTS
COIL SPRING



Coil Spring Spacers

PROPER ALIGNMENT REQUIRES CORRECT SPRING HEIGHT

Coil spacers come in various thickness for front and rear coil springs on most cars and trucks. Coil spacers allow shock absorbers to operate through their normal range for longer life and proper response ratios. Spacers restore car trim height for correct front end component relationships, and for improved ride and appearance. They improve stability. When installed in front, car height is raised approximately 2-1/2 to 3 times spacer thickness. Engine weight must be considered. Rear installation on housing raises vehicle approximately 1-1/4 to 1-1/2 times spacer thickness. These spacers are made of aluminum and include one per package.



Make/Model	Year	Top or Bottom	Front				Rear			Make/Model	Year	Top or Bottom	Front				Rear					
			3/8"	1/2"	5/8"	3/4"	1"	1/2"	1"				1-1/2"	3/8"	1/2"	5/8"	3/4"	1"	1/2"	1"	1-1/2"	
AMC									AMC (cont.)													
Ambassador	67-74	B						1621	1622	1620	Javelin	68-70	T				2012	2013				
	71-74	T	1502	1503	1504	1505	1506					71-74	T	1502	1503	1504	1505	1506				
American	64-69	T									Matador	67-78	B	1502	1503	1504	1505	1506				
Eagle	80-87	T	1502	1503	1504	1505	1506					72-78	B							1621	1622	1620
Gremlin/Spirit	71-83	T	1502	1503	1504	1505	1506				Pacer	75-80	B	1702	1703	1704	1705	1706				
Hornet/Concord	72-83	T	1502	1503	1504	1505	1506															

Coil Spring Spacers

Coil Spring Spacers Cars/Vans



PARTS
COIL SPRING

Make/Model	Year	Top or Bottom	Front					Rear		
			3/8"	1/2"	5/8"	3/4"	1"	1/2"	1"	1-1/2"
DODGE										
400	82-84	B						2012-3/4	2013	
600	83-88	B						2012-3/4	2013	
Aries	81-89	B						2012-3/4	2013	
Colt	81-86	T						1103	1106	
	87-90	B						1303		
Daytona	84-93	B						2012-3/4	2013	
Dynasty	88-93	B						2012-3/4	2013	
Lancer	85-89	B						2012-3/4	2013	
Shadow	87-94	T						2012-3/4	2013	
Spirit	89-94	T						2012-3/4	2013	
FORD										
Crown Vic./ LTD	49-78	T	2006	2007						
	49-97	B	1702	1703	1704	1705	1706			
	65-78	B						1614	1615	1616
	79-03	T or B						1621	1627	1628
	98-03	B	1903		1905	1906				
Escort/EXP	81-86	B		1303					1303	
	87-90	B	1102	1103	1104	1105	1106			
	91-96	T							1615	1616
Fairlane	66-70	T				2012	2013			
Fairmont	78-83	B	1502	1503	1504	1505	1506			
	78-83	T							2007	
Falcon	60-70	T				2012	2013			
Granada	75-80	T				2012	2013			
	81-83	B	1502	1503	1504	1505	1506			
	81-83	T							2007	
LTD II	82-86	B	1502	1503	1504	1505	1506			
	82-86	T							2007	
Maverick	69-77	T				2012	2013			
Mustang/ Mustang II	65-73	T				2012	2013			
	74-96	B	1102	1103	1104	1105	1106			
	80-96	T							2007	
Pinto	71-80	B	1102	1103	1104	1105	1106			
Taurus/Wagon	86-95	B	1702	1703	1704	1705	1706			
Tempo	84-94	B	1502	1503	1504	1505	1506	1703	1706	
Thunderbird	61-71	T		2008		2009				
	67-79	B	1702	1703	1704	1705	1706			
	80-88	T							2007	
	80-97	B	1502	1503	1504	1505	1506			
	89-97	T							2008	2009-3/4
Torino	68-71	T				2012	2013			
	72-79	T or B						1614	1615	1616
	72-81	B	1702	1703	1704	1705	1706			
	80-81	T or B						1621	1627	1628
LINCOLN										
Lincoln Continental	49-60	T		2008		2009				
	61-78	T	2006	2007						
	70-79	B						1614	1615	1616
	80-81	T or B						1621	1627	1628
Continental	82-84	B	1502	1503	1504	1505	1506	1621	1627	1628
	82-84	T							2007	
Lincoln Town Car	82-84	B	1702	1703	1704	1705	1706			
	82-84	T or B						1621	1627	1628
	80-93	B	1702	1703	1704	1705	1706			
	80-93	T or B						1621	1627	1628


Make/Model	Year	Top or Bottom	Front					Rear			
			3/8"	1/2"	5/8"	3/4"	1"	1/2"	1"	1-1/2"	
MERCURY											
Bobcat	75-80	B	1102	1103	1104	1105	1106				
Capri	79-86	B	1102	1103	1104	1105	1106				
	79-86	T							2007		
Comet	60-77	T				2012	2013				
Cougar	67-73	T				2012	2013				
	74-79	B	1702	1703	1704	1705	1706	1614	1615	1616	
	80-97	B	1502	1503	1504	1505	1506				
	80-88	T							2007		
	89-97	T							2008	2009-3/4	
Grand Marquis	79-97	B	1702	1703	1704	1705	1706				
	79-00	T or B						1621	1627	1628	
	98-00	B		1903		1905	1906				
Lynx/LN7	82-84	B		1303							
	82-87	T							1615	1616	
Marquis	82-86	B	1502	1503	1504	1505	1506				
	80-86	T							2007		
Mercury	52-78	T	2006	2007							
	52-82	B	1702	1703	1704	1705	1706				
	56-78	B							1614	1615	1616
	79-82	T or B						1621	1627	1628	
Monarch	75-80	T		2011		2012	2013				
Montego	68-71	T				2012	2013				
	72-76	B	1702	1703	1704	1705	1706	1614	1615	1616	
Sable	86-95	B	1702	1703	1704	1705	1706				
Topaz	84-90	B	1502	1503	1504	1505	1506	1703	1706		
Zephyr	78-83	B	1502	1503	1504	1505	1506				
	78-83	T							2007		
OLDSMOBILE											
88	55-85	B	1702	1703	1704	1705	1706				
	61-63	T						1601	1602	1603	
	64-76	T or B						1621	1622	1620	
	65-85	T		2008		2009					
	77-85	T or B						1621	1627	1628	
	86-96	B							2008	2009-3/4	
98	55-84	B	1702	1703	1704	1705	1706				
	64-76	T or B						1621	1622	1620	
	65-84	T		2008		2009					
	77-84	T or B						1621	1627	1628	
	85-97	B							2008	2009-3/4	
Achieva	92-94	B							1621		
Calais	85-91	B		1303					1621	1627	1628
Custom	74-92	B	1702	1703	1704	1705	1706				
Cruiser	74-92	T or B						1621	1627	1628	
Cutlass/ F-85 RWD	61-66	B						1601	1602	1603	
	64-72	B	1102	1103	1104	1105	1106				
	67-88	T or B						1621	1627	1628	
	73-88	B	1702	1703	1704	1705	1706				
Cutlass Ciera	82-96	B	1102	1103	1104	1105	1106				
	82-96	T						1621	1627	1628	
Firenza	82-88	B						1621	1627	1628	
	83-88	B		1303							
Omega	72-74	B	1102	1103	1104	1105	1106				
	75-79	B	1702	1703	1704	1705	1706				
	80-84	B	1102	1103	1104	1105	1106				
	80-84	T						1621	1627	1628	
Starfire	75-81	T	1102	1103	1104	1105	1106				
	75-81	B						1621	1627	1628	
Toronado	71-78	T or B						1621	1622	1620	
	78-85	T							2008	2009-3/4	

Coil Spring Spacers Cars/Vans

Make/Model	Year	Top or Bottom	Front					Rear			Make/Model	Year	Top or Bottom	Front					Rear									
			3/8"	1/2"	5/8"	3/4"	1"	1/2"	1"	1-1/2"				3/8"	1/2"	5/8"	3/4"	1"	1/2"	1"	1-1/2"							
PLYMOUTH									VANS																			
CHEVROLET																												
Acclaim	89-95	B						2012-3/4	2013	Astro	85-89	B	1702	1703	1704	1705	1706											
Champ	79-82	T						1103	1106	Except AWD	90-03	B		1903		1905	1906											
Reliant	81-90	B						2012-3/4	2013	G10, 20,30	68-03	B	1702	1703	1704	1705	1706											
Sundance	87-94	B						2012-3/4	2013	P30	68-99	B	1702	1703	1704	1705	1706											
PONTIAC									DODGE																			
6000	82-91	B	1102	1103	1104	1105	1106			B100,150, 200, 250, 300, 350	71-01	B		1903		1905	1906								1621	1627	1628	
	82-91	T							1621	1627	1628																	
Astre	75-81	B	1102	1103	1104	1105	1106		1621	1627	1628																	
Bonneville	58-64	T or B							1601	1602	1603																	
RWD	58-81	T	2006	2007																								
	58-86	B	1702	1703	1704	1705	1706																					
	65-66	B							1631	1632																		
	67-76	T or B							1621	1622	1620																	
	77-86	T or B							1621	1627	1628																	
	87-97	B							2008	2009-3/4																		
Fiero	84-88	B		1303					1103	1106																		
Firebird	67-69	B	1102	1103	1104	1105	1106																					
	70-92	B	1702	1703	1704	1705	1706																					
	82-96	B							1621	1627	1628																	
Grand Am	85-97	B		1303					1621	1627	1628																	
Grand Prix	62-87	B	1702	1703	1704	1705	1706																					
	67-87	T or B							1621	1627	1628																	
Grand	77-89	B	1702	1703	1704	1705	1706																					
Safari SW	77-89	T or B							1621	1627	1628																	
J 2000	82-85	B							1621	1627	1628																	
	83-85	B		1303																								
Lemans RWD	64-66	B							1601	1602	1603																	
	64-72	B	1102	1103	1104	1105	1106																					
	67-76	T or B							1621	1622	1620																	
	73-81	B	1702	1703	1704	1705	1706																					
	77-81	T or B							1621	1627	1628																	
Lemans FWD	88-93	B		1303																								
Phoenix	80-84	B	1702	1703	1704	1705	1706																					
	80-84	T							1621	1627	1628																	
Sunbird RWD	75-81	B	1102	1103	1104	1105	1106		1621	1627	1628																	
Sunbird FWD	82-94	B		1303					1621	1627	1628																	
T 1000	81-87	B		1303					1103	1106																		
	81-87	T								2012-3/4	2013-1																	
Ventura	71-74	B	1102	1103	1104	1105	1106																					
	75-79	B	1702	1703	1704	1705	1706																					



COIL SPRING PARTS



Coil Spring Spacers Trucks/SUVs



PARTS
COIL SPRING



Make/Model	Year	Top or Bottom	Front					Rear		
			3/8"	1/2"	5/8"	3/4"	1"	1/2"	1"	1-1/2"
4 x 4										
CHEVROLET										
Suburban 1500	02-04	B						1621	1627	1628
Tahoe	02-04	B						1621	1627	1628
Trailblazer	02-01	B						1621	1627	1628
FORD										
Bronco	66-79	T		1714		1716	1718			
	80-88	B							1619	
	80-96	T		1724		1726	1728			
	*89-96	B		1617		1618	1619			
Bronco II	83-89	B				1618	1619			
	90	B		1817		1818	1819			
Explorer	90-94	B		1817		1818	1819			
Ranger	83-89	B				1618	1619			
	90-97	B		1817		1818	1819			
F-100, 150	66-79	T		1714		1716	1718			
	80-88	B					1619			
	80-96	T		1724		1726	1728			
	*89-96	B		1617		1618	1619			
F-150	04	T	1702	1703	1704	1705	1706			
GMC										
Envoy	02-04	B						1621	1627	1628
Yukon/Yukon XL	02-04	B						1621	1627	1628
JEEP										
Cherokee XJ/	84-01	B	1702	1703	1704	1705	1706			
Wagoneer XJ										
Grand Cher.	93-98	B	1702	1703	1704	1705	1706	1703	1706	
Wrangler	97-04	B	1702	1703	1704	1705	1706			

Make/Model	Year	Top or Bottom	Front					Rear		
			3/8"	1/2"	5/8"	3/4"	1"	1/2"	1"	1-1/2"
4 x 2										
CHEVROLET										
El Camino	64-66	B							1602	1603
	64-72	B	1102	1103	1104	1105	1106			
	67-77	T or B							1621	1622 1620
	73-87	B	1702	1703	1704	1705	1706			
	77-87	T or B							1621	1627 1628
C10, 20, 30	60-71	T or B							1602	1603
	63-87	B	1702	1703	1704	1705	1706			
C1500, 2500,	88-04	B		1903		1905	1906			
Except HD		T		2008		2009				
C3500	88-01	B		1903		1905	1906			
Except HD		T		2008		2009				
S10	82-03	B	1702	1703	1704	1705	1706			
Suburban	64-91	B	1702	1703	1704	1705	1706			
	92-04	B		1903		1905	1906			
Tahoe	92-04	B		1903		1905	1906			
	02-04	B							1621	1627 1628
Trailblazer	02-04	B							1621	1627 1628
DODGE										
D-50	79-81	B	1102	1103	1104	1105	1106			
Dakota	86-03	B	1702	1703	1704	1705	1706			
D-100, 150, 200	71-93	B		1903		1905	1906			
250, 300, 350										
Ramcharger	75-89	B		1903		1905	1906			
Ram 50	82-90	B	1102	1103	1104	1105	1106			
R1500,	94-03			1903		1905	1906			
2500, 3500										
FORD (see page 78 for longer coil spring bolt)										
Courier	73-83	B				1303				
Expedition	97-02	B	1702	1703	1704	1705	1706			
	03-04	T	1702	1703	1704	1705	1706			
Excursion	00-04	T		1724		1726	1728			
F-100, 250	65-70	T	1702	1703	1704	1705	1706			
F-100, 150,	65-88	B		1617		1618	1619			
250, 350	*89-96	B				1618	1619			
F-100, 150,	71-79	T	1702	1703	1704	1705	1706			
250under	80-96	T		1724		1726	1728			
6900 GVW										
F-250, 350	80-04	T		1724		1726	1728			
over 6900 GVW										
Ranchero	68-71	T				2012	2013			
	72-79	B	1702	1703	1704	1705	1706	1614	1615	1616
Ranger	82-89	B				1618	1619			
	90-97	B		1817		1818	1819			
	98-04	B	1702	1703	1704	1705	1706			
GMC										
C15, 25, 35	60-71	T or B							1602	1603
C1500, 2500,	63-87	B	1702	1703	1704	1705	1706			
3500	88-04	B		1903		1905	1906			
Except HD	88-04	T		2008		2009				
Envoy	02-04	B							1621	1627 1628
S-15	82-03	B	1702	1703	1704	1705	1706			
Sprint/	71-72	B	1102	1103	1104	1105	1106			
Caballero	71-77	T or B							1621	1622 1620
	73-87	B	1702	1703	1704	1705	1706			
	78-87	T or B							1621	1627 1628
Yukon	02-04	B							1621	1627 1628

*Measure length of stud above nut holding in spring. Add 1/8" to above measurement. That is the maximum thickness of spacer recommended without changing bolt. Discard plastic spring silencer.